

**LOG OF MEETING  
OFFICE OF HAZARD ANALYSIS AND REDUCTION**

**SUBJECT:** F15.18 Play Yards/NFS Cribs

**DATE OF MEETING:** 9 November 2020

**PLACE OF MEETING:** Virtual (teleconference)

**LOG ENTRY SOURCE:** Hope Nesteruk (ESMC)

**COMMISSION ATTENDEES:** Hope Nesteruk (ESMC), Celestine Kish (ESHF), Suad Wanna-Nakamura (HSPP), Patty Edwards (EXHR), Keysha Walker (CRE) and Michelle Guice (CRE)

**NON-COMMISSION ATTENDEES:** Contact ASTM for attendee list.

This was a semi-annual subcommittee meeting regarding the non-full-size crib and play yard standard, ASTM F406.

Ballot Results: All the outstanding ballots items had at least one persuasive negative and thus will get back to the task groups.

Old Business/task group reports:

Ad hoc: The group has not met recently and has no report.

Hybrid Scope Interpretation (i.e., rigid frame with mesh sides): The group had been tabled, but a product appears to have entered the market (a test lab received one for testing), thus the group will restart its work.

Stability device: Some of the test labs submitted details of their stability test fixture, which showed there were inconsistencies in the interpretation of the figure in the standard. The task group has consensus on a new figure and will move it to ballot.

Fit and Thickness: Hope Nesteruk is chair of this group. The group has not met recently due to COVID testing restrictions but is planning to restart work soon. A subcommittee member raised an issue with the crib mattress NPR referring to the play yard standard when the play yard standard has not been updated. Staff reminded the member that this was the decision of the crib mattress subcommittee and the public comment period for the NPR was still open.

